

LIGHT DISTRIBUTION  
cross section / side view

DETAILED INFORMATION

LIGHTING

**EDEN small** 60W 4150lm upwards 2700k dimmable  
4150lm downwards

VOLTAGE

230 V / 110V / 12 V

USAGE

INDOOR

SAFETY STANDARDS



DRIVER

INCLUDED

DIMMING

SPECIFY DIMMING SYSTEM / AVAILABLE FOR PURCHASE  
0 - 10V, DALI, CONVENTIONAL / PHASE CUT, REMOTE CONTROL  
SEPARATE DIMMING FOR TOP AND BOTTOM LED STRIPS POSSIBLE

CANOPY

NOT INCLUDED, SOLD SEPARATELY

REMARKS

DELIVERED WITH 3 METER TEXTILE ELECTRICITY CABLE  
AND 3 METER LONG SUPPORT WIRES. CUSTOM LENGTHS ON REQUEST

MATERIAL

ALUMINIUM FRAME, NYLON ELECTRICITY WIRE & STAINLESS STEEL  
SUPPORT WIRES.

COLOUR

AVAILABLE IN ANODIZED BLACK, BRONZE, CHAMPAGNE, GOLD AND SILVER.  
CUSTOM COLORS ON REQUEST.

SIZE & WEIGHT

HEIGHT 50 MM - DIAMETER 1000 MM - WEIGHT 2KG

MEASUREMENTS



MILLIMETERS

NOTE

DELIVERED PREASSEMBLED

CONTACT

JSPR  
T +31 (0) 402692111  
INFO@JSPR.EU  
WWW.JSPR.EU



LIGHT DISTRIBUTION  
cross section / side view

DETAILED INFORMATION

LIGHTING

<b>EDEN DECO small</b>	30W	4000lm	2700k	dimmable
<b>EDEN DECO small + up &amp; down</b>	90W	4000lm inwards 4150lm upwards 4150lm downwards	2700k	dimmable

VOLTAGE

230 V / 110V / 12 V

USAGE

INDOOR

SAFETY STANDARDS



DRIVER

INCLUDED

DIMMING

SPECIFY DIMMING SYSTEM / AVAILABLE FOR PURCHASE  
0 - 10V, DALI, CONVENTIONAL /PHASE CUT, REMOTE CONTROL  
SEPARATE DIMMING FOR TOP, CENTER AND BOTTOM LED STRIPS POSSIBLE

CANOPY

NOT INCLUDED, SOLD SEPARATELY

REMARKS

DELIVERED WITH 3 METER TEXTILE ELECTRICITY CABLE  
AND 3 METER LONG SUPPORT WIRES. CUSTOM LENGTHS ON REQUEST

MATERIAL

ALUMINUM FRAME, NYLON ELECTRICITY WIRE & STAINLESS STEEL  
SUPPORT WIRES.

COLOUR

AVAILABLE IN ANODIZED BLACK, BRONZE, CHAMPAGNE, GOLD AND SILVER.  
CUSTOM COLORS ON REQUEST.

SIZE & WEIGHT

HEIGHT 50 MM - DIAMETER 1000 MM - WEIGHT 3KG

MEASUREMENTS



MILLIMETERS

NOTE

DELIVERED PREASSEMBLED

CONTACT

JSPR  
T +31 (0) 402692111  
INFO@JSPR.EU  
WWW.JSPR.EU



LIGHT DISTRIBUTION  
cross section / side view

DETAILED INFORMATION

LIGHTING

**EDEN medium + up & down** 90W 6225lm upwards 2700k dimmable  
6225lm downwards

VOLTAGE

230 V / 110V / 12 V

USAGE

INDOOR

SAFETY STANDARDS



DRIVER

INCLUDED

DIMMING

SPECIFY DIMMING SYSTEM / AVAILABLE FOR PURCHASE  
0 - 10V, DALI, CONVENTIONAL / PHASE CUT, REMOTE CONTROL  
SEPARATE DIMMING FOR TOP AND BOTTOM LED STRIPS POSSIBLE

CANOPY

NOT INCLUDED, SOLD SEPARATELY

REMARKS

DELIVERED WITH 3 METER TEXTILE ELECTRICITY CABLE  
AND 3 METER LONG SUPPORT WIRES. CUSTOM LENGTHS ON REQUEST

MATERIAL

ALUMINUM FRAME, NYLON ELECTRICITY WIRE & STAINLESS STEEL  
SUPPORT WIRES.

COLOUR

AVAILABLE IN ANODIZED BLACK, BRONZE, CHAMPAGNE, GOLD AND SILVER.  
CUSTOM COLORS ON REQUEST.

SIZE & WEIGHT

HEIGHT 50 MM - DIAMETER 1500 MM - WEIGHT 2KG

MEASUREMENTS



MILLIMETERS

NOTE

DELIVERED PREASSEMBLED

CONTACT

JSPR  
T +31 (0) 402692111  
INFO@JSPR.EU  
WWW.JSPR.EU



LIGHT DISTRIBUTION  
cross section / side view

DETAILED INFORMATION

LIGHTING

<b>EDEN DECO medium</b>	45W	6000lm	2700k	dimmable
<b>EDEN DECO medium + up &amp; down</b>	135W	6000lm inwards 6225lm upwards 6225lm downwards	2700k	dimmable

VOLTAGE

230 V / 110V / 12 V

USAGE

INDOOR

SAFETY STANDARDS



DRIVER

INCLUDED

DIMMING

SPECIFY DIMMING SYSTEM / AVAILABLE FOR PURCHASE  
0 - 10V, DALI, CONVENTIONAL /PHASE CUT, REMOTE CONTROL  
SEPARATE DIMMING FOR TOP, CENTER AND BOTTOM LED STRIPS POSSIBLE

CANOPY

NOT INCLUDED, SOLD SEPARATELY

REMARKS

DELIVERED WITH 3 METER TEXTILE ELECTRICITY CABLE  
AND 3 METER LONG SUPPORT WIRES. CUSTOM LENGTHS ON REQUEST

MATERIAL

ALUMINUM FRAME, NYLON ELECTRICITY WIRE & STAINLESS STEEL  
SUPPORT WIRES.

COLOUR

AVAILABLE IN ANODIZED BLACK, BRONZE, CHAMPAGNE, GOLD AND SILVER.  
CUSTOM COLORS ON REQUEST.

SIZE & WEIGHT

HEIGHT 50 MM - DIAMETER 1500 MM - WEIGHT 3KG

MEASUREMENTS

MILLIMETERS

NOTE

DELIVERED PREASSEMBLED

CONTACT

JSPR  
T +31 (0) 402692111  
INFO@JSPR.EU  
WWW.JSPR.EU