


## SPECIFICATIONS



\*canopy sold separately

## PILLAR 150

suspended light fixture

### Collection

Pillar

### Dimensions

Length: 1500 mm  
 Diameter: 65 mm

### Weight

3kg / 6.6lb

### Usage

indoor

### Color options

Black  
 Bronze  
 Gold  
 Champagne  
 Silver  
 Pink  
 Green

custom on request

### Materials

Anodized aluminium  
 Hardened glass

### Suspension

Delivered with 3 meter long  
 stainless steel suspension cable  
 set.

custom lengths upon request.

### Canopy

Delivered with 2x ceiling  
 fasteners.

Canopy sold separately.  
 Please see price list.

### Certification

Europe:  


USA & Canada:  
 low voltage in combination with  
 UL driver



### Lighting

Europe (240V) | 12V/24V on request  
 light source: LED dimmable  
 wattage: 43,2W  
 lumens: 5960lm (est.)  
 color temp. 2700k

USA & Canada (120V) 24V  
 light source: LED dimmable  
 wattage: 43,2W  
 lumens: 5960lm (est.)  
 color temp. 2700k

### Dimming\*


0 - 10V, DALI, conventional / phase cut

\*specify dimming system, available for  
 purchase

### Remarks

Delivered assembled.

## SPECIFICATIONS



\*canopy sold separately

## PILLAR 100

suspended light fixture

### Collection

Pillar

### Dimensions

Length: 1000 mm  
 Diameter: 65 mm

### Weight

2,7kg / 6lb

### Usage

indoor

### Color options

Black  
 Bronze  
 Gold  
 Champagne  
 Silver  
 Pink  
 Green

custom on request

### Materials

Anodized aluminium  
 Hardened glass

### Suspension

Delivered with 3 meter long  
 stainless steel suspension cable  
 set.

custom lengths upon request.

### Canopy

Delivered with 2x ceiling  
 fasteners.

Canopy sold separately.  
 Please see price list.

### Certification

Europe:  
 CE

USA & Canada:  
 low voltage in combination with  
 UL driver



### Lighting

Europe (240V) | 12V/24V on request  
 light source: LED dimmable  
 wattage: 28,8W  
 lumens: 3975lm (est.)  
 color temp. 2700k

USA & Canada (120V) 24V  
 light source: LED dimmable  
 wattage: 28,8W  
 lumens: 3975lm (est.)  
 color temp. 2700k

### Dimming\*


0 - 10V, DALI, conventional / phase cut

\*specify dimming system, available for  
 purchase

### Remarks

Delivered assembled.

## SPECIFICATIONS



## PILLAR pendant 125

suspended light fixture

### Collection

Pillar

### Dimensions

Height: 1250 mm  
 Diameter: 65 mm

### Weight

2kg / 4,4lb

### Usage

indoor

### Color options

Black  
 Bronze  
 Gold  
 Champagne  
 Silver  
 Pink  
 Green

custom on request

### Materials

Anodized aluminium  
 Hardened glass

### Suspension

Delivered with 3 meter long  
 stainless steel suspension cable  
 set.

custom lengths upon request.

### Canopy

Delivered with 1x ceiling  
 fastener.

Canopies sold separately.  
 Please see price list.

### Certification

Europe:  
 CE

USA & Canada:  
 low voltage in combination with  
 UL driver



### Lighting

Europe (240V) | 12V/24V on request  
 light source: LED dimmable  
 wattage: 10W  
 lumens: 340lm (est.)  
 color temp. 2700k

USA & Canada (120V) 24V  
 light source: LED dimmable  
 wattage: 10W  
 lumens: 340lm (est.)  
 color temp. 2700k

### Dimming\*


0 - 10V, DALI, conventional / phase cut

\*specify dimming system, available for  
 purchase

### Remarks

Delivered assembled.

## SPECIFICATIONS



## PILLAR pendant 125

suspended light fixture

### Collection

Pillar

### Dimensions

Height: 750 mm  
 Diameter: 65 mm

### Weight

1,5kg / 3,3lb

### Usage

indoor

### Color options

Black  
 Bronze  
 Gold  
 Champagne  
 Silver  
 Pink  
 Green

custom on request

### Materials

Anodized aluminium  
 Hardened glass

### Suspension

Delivered with 3 meter long  
 stainless steel suspension cable  
 set.

custom lengths upon request.

### Canopy

Delivered with 1x ceiling  
 fastener.

Canopies sold separately.  
 Please see price list.

### Certification

Europe:  
 CE

USA & Canada:  
 low voltage in combination with  
 UL driver



### Lighting

Europe (240V) | 12V/24V on request  
 light source: LED dimmable  
 wattage: 10W  
 lumens: 340lm (est.)  
 color temp. 2700k

USA & Canada (120V) 24V  
 light source: LED dimmable  
 wattage: 10W  
 lumens: 340lm (est.)  
 color temp. 2700k

### Dimming\*


0 - 10V, DALI, conventional / phase cut

\*specify dimming system, available for  
 purchase

### Remarks

Delivered assembled.

## SPECIFICATIONS



## PILLAR wall light

wall fixture

### Collection

Pillar

### Dimensions

Height: 650 mm  
 Diameter: 70 mm  
 Length: 82 mm

### Weight

2,5kg / 5,5lb

### Usage

indoor

### Color options

Black  
 Bronze  
 Gold  
 Champagne  
 Silver  
 Pink  
 Green

custom on request

### Materials

Anodized aluminium  
 Hardened glass

### Delivered

Fully assembled, design  
 includes wall plate  
 (120 mm x 40 mm)

### Certification

Europe:



USA & Canada:  
 low voltage in combination with  
 UL driver



### Lighting

Europe (240V) | 12V/24V on request  
 light source: LED dimmable  
 wattage: 14W  
 lumens: 1120lm (est.)  
 color temp. 2700k

USA & Canada (120V) 24V  
 light source: LED dimmable  
 wattage: 14W  
 lumens: 1120lm (est.)  
 color temp. 2700k

### Dimming\*


0 - 10V, DALI, conventional / phase cut

\*specify dimming system, available for  
 purchase

### Remarks

Delivered assembled.

## SPECIFICATIONS



## PILLAR floor light 120

floor light

### Collection

Pillar

### Materials

Anodized aluminium  
 Hardened glass

### Lighting

Europe (240V) | 12V/24V on request  
 plug\*: Europlug (Type - C)  
 light source: LED dimmable  
 wattage: 20W  
 lumens: 2642lm (est.)  
 color temp. 2700k

### Dimensions

Height: 1200 mm  
 Diameter: 70 mm  
 Base plate diameter: 300 mm  
 Cable: 2,5 meters

### Delivered

Fully assembled.  
 Equipped with 2,5 meter long  
 electric cable with remote  
 control built - in dimmer.

USA & Canada (120V) 24V  
 plug: US plug (Type - A)  
 light source: LED dimmable  
 wattage: 20W  
 lumens: 2642lm (est.)  
 color temp. 2700k

### Weight

6kg / 13lb

custom cable length upon  
 request.

### Usage

indoor

### Certification

Europe:  
 CE

### Dimming

built in - remote control

### Color options

Black  
 Bronze  
 Gold  
 Champagne  
 Silver  
 Pink  
 Green

USA & Canada:  
 low voltage in combination with  
 UL driver




### Remarks

\*Electricity plug will be matched  
 to delivery country.

custom on request

## SPECIFICATIONS



## PILLAR floor light 170

floor light

### Collection

Pillar

### Materials

Anodized aluminium  
 Hardened glass

### Lighting

Europe (240V) | 12V/24V on request  
 plug\*: Europlug (Type - C)  
 light source: LED dimmable  
 wattage: 28W  
 lumens: 3962lm (est.)  
 color temp. 2700k

### Dimensions

Height: 1700 mm  
 Diameter: 70 mm  
 Base plate diameter: 300 mm  
 Cable: 2,5 meters

### Delivered

Fully assembled.  
 Equipped with 2,5 meter long  
 electric cable with remote  
 control built - in dimmer.

USA & Canada (120V) 24V  
 plug: US plug (Type - A)  
 light source: LED dimmable  
 wattage: 28W  
 lumens: 3962lm (est.)  
 color temp. 2700k

### Weight

7,5kg / 16,5lb

custom cable length upon  
 request.

### Usage

indoor

### Certification

Europe:  
 CE

### Dimming

built in - remote control

### Color options

Black  
 Bronze  
 Gold  
 Champagne  
 Silver  
 Pink  
 Green

USA & Canada:  
 low voltage in combination with  
 UL driver



### Remarks

\*Electricity plug will be matched  
 to delivery country.

custom on request