

LIGHT DISTRIBUTION
cross section / side view

DETAILED INFORMATION

LIGHTING

LED STRIP 2700k 60W 3000lm DOWNWARDS | 2500lm SIDEWAYS (TOTAL 5500lm)

VOLTAGE

230 V / 110 V / 12 V

USAGE

INDOOR

SAFETY STANDARDS



DRIVER

ON REQUEST, DEPENDS ON DIMMING SYSTEM

DIMMING

0 - 10V, DALI, CONVENTIONAL / PHASE CUT, REMOTE CONTROL

CANOPY

NOT INCLUDED / SOLD SEPARATELY

REMARKS

3 METER TRANSPARENT ELECTRICITY CABLE AND 3 METER LONG SUPPORT WIRES.
CUSTOM LENGTHS ON REQUEST

MATERIAL

ALUMINUM FRAME, NYLON ELECTRICITY CABLE & STAINLESS STEEL
SUPPORT WIRE.

COLOR

AVAILABLE IN ANODISED BLACK, BRONZE, GOLD, CHAMPAGNE AND SILVER
CUSTOM COLORS ON REQUEST.

SIZE & WEIGHT



HEIGHT 140 MM - DIAMETER 1075 MM - WEIGHT 5.0 KG

NOTES

CANOPY & DRIVER AVAILABLE SEPARATELY. FURTHER CUSTOMIZATION ON REQUEST.

CONTACT

JSPR
T +31 (0) 402692111
INFO@JSPR.EU
WWW.JSPR.EU





DETAILED INFORMATION

| | |
|------------------|--|
| LIGHTING | LED STRIP 2700k 60W 3000lm DOWNWARDS 2500lm SIDEWAYS (TOTAL 5500lm) |
| VOLTAGE | 230 V / 110 V / 12 V |
| USAGE | INDOOR |
| SAFETY STANDARDS | CE UL SP |
| DRIVER | ON REQUEST, DEPENDS ON DIMMING SYSTEM |
| DIMMING | 0 - 10V, DALI, CONVENTIONAL / PHASE CUT, REMOTE CONTROL |
| CANOPY | NOT INCLUDED / SOLD SEPARATELY |
| REMARKS | 3 METER TRANSPARENT ELECTRICITY CABLE AND 3 METER LONG SUPPORT WIRES. CUSTOM LENGTHS ON REQUEST |
| MATERIAL | ALUMINUM FRAME, NYLON ELECTRICITY WIRE & STAINLESS STEEL SUPPORT WIRE. |
| COLOR | AVAILABLE IN ANODISED BLACK, BRONZE, GOLD, CHAMPAGNE AND SILVER CUSTOM COLORS ON REQUEST. |
| SIZE & WEIGHT | HEIGHT 140 MM - DIAMETER 1140 MM - WEIGHT 5.0 KG |
| NOTES | CANOPY & DRIVER AVAILABLE SEPARATELY. FURTHER CUSTOMIZATION ON REQUEST. |

CONTACT

JSPR
T +31 (0) 402692111
INFO@JSPR.EU
WWW.JSPR.EU



DETAILED INFORMATION

LIGHTING

LED STRIP 2700k 75W 3000lm DOWNWARDS | 2500lm SIDEWAYS (TOTAL 5500lm)

VOLTAGE

230 V / 110 V / 12 V

USAGE

INDOOR

SAFETY STANDARDS



DRIVER

ON REQUEST, DEPENDS ON DIMMING SYSTEM

DIMMING

0 - 10V, DALI, CONVENTIONAL / PHASE CUT, REMOTE CONTROL

CANOPY

NOT INCLUDED / SOLD SEPARATELY

REMARKS

3 METER TRANSPARENT ELECTRICITY CABLE AND 3 METER LONG SUPPORT WIRES.
CUSTOM LENGTHS ON REQUEST

MATERIAL

ALUMINUM FRAME, NYLON ELECTRICITY WIRE & STAINLESS STEEL
SUPPORT WIRE.

COLOR

AVAILABLE IN ANODISED BLACK, BRONZE, GOLD, CHAMPAGNE AND SILVER
CUSTOM COLORS ON REQUEST.

SIZE & WEIGHT


HEIGHT 140 MM - DIAMETER 1100 MM - WEIGHT 5.0 KG

NOTES


CANOPY & DRIVER AVAILABLE SEPARATELY. FURTHER CUSTOMIZATION ON REQUEST.

CONTACT


JSPR
T +31 (0) 402692111
INFO@JSPR.EU
WWW.JSPR.EU



EMPIRE I





EMPIRE II



EMPIRE III

CONTACT

JSPR
T +31 (0) 402692111
INFO@JSPR.EU
WWW.JSPR.EU



LIGHT DISTRIBUTION
cross section / side view

DETAILED INFORMATION

| | |
|------------------|--|
| LIGHTING | LED STRIP 2700k 90W 4500lm DOWNWARDS 3750lm SIDEWAYS (TOTAL 7500lm) |
| VOLTAGE | 230 V / 110 V / 12 V |
| USAGE | INDOOR |
| SAFETY STANDARDS | CE UL SP |
| DRIVER | ON REQUEST, DEPENDS ON DIMMING SYSTEM |
| DIMMING | 0 - 10V, DALI, CONVENTIONAL / PHASE CUT, REMOTE CONTROL |
| CANOPY | NOT INCLUDED / SOLD SEPARATELY |
| REMARKS | 3 METER TRANSPARENT ELECTRICITY CABLE AND 3 METER LONG SUPPORT WIRES. CUSTOM LENGTHS ON REQUEST |



| | |
|----------|--|
| MATERIAL | ALUMINUM FRAME, NYLON ELECTRICITY CABLE & STAINLESS STEEL SUPPORT WIRE. |
| COLOR | AVAILABLE IN ANODISED BLACK, BRONZE, GOLD, CHAMPAGNE AND SILVER CUSTOM COLORS ON REQUEST. |

| | |
|---------------|--|
| SIZE & WEIGHT | HEIGHT 140 MM - DIAMETER 1575 MM - WEIGHT 7.0 KG |
|---------------|--|

| | |
|-------|---|
| NOTES | CANOPY & DRIVER AVAILABLE SEPARATELY. FURTHER CUSTOMIZATION ON REQUEST. |
|-------|---|

CONTACT

JSPR
T +31 (0) 402692111
INFO@JSPR.EU
WWW.JSPR.EU





LIGHT DISTRIBUTION
cross section / side view

DETAILED INFORMATION

| | |
|------------------|--|
| LIGHTING | LED STRIP 2700k 90W 4500lm DOWNWARDS 3750lm SIDEWAYS (TOTAL 7500lm) |
| VOLTAGE | 230 V / 110 V / 12 V |
| USAGE | INDOOR |
| SAFETY STANDARDS | CE UL SP |
| DRIVER | ON REQUEST, DEPENDS ON DIMMING SYSTEM |
| DIMMING | 0 - 10V, DALI, CONVENTIONAL / PHASE CUT, REMOTE CONTROL |
| CANOPY | NOT INCLUDED / SOLD SEPARATELY |
| REMARKS | 3 METER TRANSPARENT ELECTRICITY CABLE AND 3 METER LONG SUPPORT WIRES. CUSTOM LENGTHS ON REQUEST |
| MATERIAL | ALUMINUM FRAME, NYLON ELECTRICITY WIRE & STAINLESS STEEL SUPPORT WIRE. |
| COLOR | AVAILABLE IN ANODISED BLACK, BRONZE, GOLD, CHAMPAGNE AND SILVER CUSTOM COLORS ON REQUEST. |
| SIZE & WEIGHT | HEIGHT 140 MM - DIAMETER 1575 MM - WEIGHT 7.0 KG |
| NOTES | CANOPY & DRIVER AVAILABLE SEPARATELY. FURTHER CUSTOMIZATION ON REQUEST. |

CONTACT

JSPR
T +31 (0) 402692111
INFO@JSPR.EU
WWW.JSPR.EU



LIGHT DISTRIBUTION
cross section / side view

DETAILED INFORMATION

| | |
|------------------|--|
| LIGHTING | LED STRIP 2700k 90W 4500lm DOWNWARDS 3750lm SIDEWAYS (TOTAL 7500lm) |
| VOLTAGE | 230 V / 110 V / 12 V |
| USAGE | INDOOR |
| SAFETY STANDARDS | CE UL SP |
| DRIVER | ON REQUEST, DEPENDS ON DIMMING SYSTEM |
| DIMMING | 0 - 10V, DALI, CONVENTIONAL / PHASE CUT, REMOTE CONTROL |
| CANOPY | NOT INCLUDED / SOLD SEPARATELY |
| REMARKS | 3 METER TRANSPARENT ELECTRICITY CABLE AND 3 METER LONG SUPPORT WIRES. CUSTOM LENGTHS ON REQUEST |

| | |
|----------|---|
| MATERIAL | ALUMINUM FRAME, NYLON ELECTRICITY WIRE & STAINLESS STEEL SUPPORT WIRE. |
|----------|---|


| | |
|-------|--|
| COLOR | AVAILABLE IN ANODISED BLACK, BRONZE, GOLD, CHAMPAGNE AND SILVER CUSTOM COLORS ON REQUEST. |
|-------|--|

| | |
|---------------|--|
| SIZE & WEIGHT | HEIGHT 140 MM - DIAMETER 1575 MM - WEIGHT 7.0 KG |
|---------------|--|


| | |
|-------|---|
| NOTES | CANOPY & DRIVER AVAILABLE SEPARATELY. FURTHER CUSTOMIZATION ON REQUEST. |
|-------|---|

CONTACT


JSPR
T +31 (0) 402692111
INFO@JSPR.EU
WWW.JSPR.EU



EMPIRE I Large



EMPIRE II Large



EMPIRE III Large

CONTACT

JSPR
T +31 (0) 402692111
INFO@JSPR.EU
WWW.JSPR.EU