


SPECIFICATIONS



UNION Medium

wall light

Collection

Union

Dimensions

Height: 310 mm
 Width: 120 mm
 Length: 130 mm

Weight

1kg / 2,2lb

Usage

indoor

Materials

Anodized aluminium
 2x G9 LED bulbs

Suspension

Delivered assembled.

Certification

Europe:
 CE

USA & Canada:
 low voltage in combination with
 UL driver



Lighting

Europe (240V) | 24V on request
 light source: 2x G9 bulbs LED
 wattage total: 14W
 lumens: 1120lm (est.)
 color temp. 2700k

USA & Canada (120V) 24V on request
 light source: 2x G9 bulbs LED
 wattage total: 14W
 lumens: 1120lm (est.)
 color temp. 2700k

Dimming*


* specify dimming system, available for purchase

JSPR advised Dali dimmer built-in the fixture (optional - available for purchase)

Remarks

Delivered assembled.

SPECIFICATIONS



UNION Medium Mesh

wall light

Collection

Union

Dimensions

Height: 310 mm
 Width: 120 mm
 Length: 130 mm

Weight

1kg / 2,2lb

Usage

indoor

Materials

Anodized aluminium
 2x G9 LED bulbs

Suspension

Delivered assembled.

Certification

Europe:
 CE

USA & Canada:
 low voltage in combination with
 UL driver



Lighting

Europe (240V) | 24V on request
 light source: 2x G9 bulbs LED
 wattage total: 14W
 lumens: 1120lm (est.)
 color temp. 2700k

USA & Canada (120V) 24V on request
 light source: 2x G9 bulbs LED
 wattage total: 14W
 lumens: 1120lm (est.)
 color temp. 2700k

Dimming*


* specify dimming system, available for purchase

JSPR advised Dali dimmer built-in the fixture (optional - available for purchase)

Remarks

Delivered assembled.

SPECIFICATIONS



UNION Medium Cake

wall light

Collection

Union

Dimensions

Height: 310 mm
 Width: 120 mm
 Length: 130 mm

Weight

1,2kg / 2,6lb

Usage

indoor

Materials

Anodized aluminium
 2x G9 LED bulbs

Suspension

Delivered assembled.

Certification

Europe:
 CE

USA & Canada:
 low voltage in combination with
 UL driver
 UL SP

Lighting

Europe (240V) | 24V on request
 light source: 2x G9 bulbs LED
 wattage total: 14W
 lumens: 1120lm (est.)
 color temp. 2700k

USA & Canada (120V) 24V on request
 light source: 2x G9 bulbs LED
 wattage total: 14W
 lumens: 1120lm (est.)
 color temp. 2700k

Dimming*


* specify dimming system, available for purchase

JSPR advised Dali dimmer built-in the fixture (optional - available for purchase)

Remarks

Delivered assembled.

SPECIFICATIONS



UNION Large

wall light

Collection

Union

Dimensions

Height: 500 mm
Width: 120 mm
Length: 130 mm

Weight

2kg / 4,4lb

Usage

indoor

Materials

Anodized aluminium
2x G9 LED bulbs

Suspension

Delivered assembled.

Certification

Europe:
CE

USA & Canada:
low voltage in combination with
UL driver



Lighting

Europe (240V) | 24V on request
light source: 2x G9 bulbs LED
wattage total: 14W
lumens: 1120lm (est.)
color temp. 2700k

USA & Canada (120V) 24V on request
light source: 2x G9 bulbs LED
wattage total: 14W
lumens: 1120lm (est.)
color temp. 2700k

Dimming*


* specify dimming system, available for purchase

JSPR advised Dali dimmer built-in the fixture (optional - available for purchase)

Remarks

Delivered assembled.

SPECIFICATIONS



UNION Large Mesh

wall light

Collection

Union

Dimensions

Height: 500 mm
 Width: 120 mm
 Length: 130 mm

Weight

2kg / 4,4lb

Usage

indoor

Materials

Anodized aluminium
 2x G9 LED bulbs

Suspension

Delivered assembled.

Certification

Europe:
 CE

USA & Canada:
 low voltage in combination with
 UL driver



Lighting

Europe (240V) | 24V on request
 light source: 2x G9 bulbs LED
 wattage total: 14W
 lumens: 1120lm (est.)
 color temp. 2700k

USA & Canada (120V) 24V on request
 light source: 2x G9 bulbs LED
 wattage total: 14W
 lumens: 1120lm (est.)
 color temp. 2700k

Dimming*

* specify dimming system, available for purchase

JSPR advised Dali dimmer built-in the fixture (optional - available for purchase)

Remarks

Delivered assembled.